

Substitute page of specification pursuant to 37 C.F.R. §1.125(b)(2)

Appendix A**Incorporation by Reference of Commonly Owned Applications**

The following patent applications, commonly owned and filed October 1, 1997,
 5 are hereby incorporated herein in their entirety by reference thereto:

	Title	Patent No./ Application No.	Attorney Docket No.
10	"System Architecture for Remote Access and Control of Environmental Management"	08/942,160	MNFRAME.002A1
	"Method of Remote Access and Control of Environmental Management"	08/942,215	MNFRAME.002A2
15	"System for Independent Powering of Diagnostic Processes on a Computer System"	08/942,410	MNFRAME.002A3
	"Method of Independent Powering of Diagnostic Processes on a Computer System"	6,134,668	MNFRAME.002A4
	08/942,320	
20	"Method for Managing a Distributed Processor System"	08/942,448	MNFRAME.005A2
	"System for Mapping Environmental Resources to Memory for Program Access"	6,122,758	MNFRAME.005A3
	08/942,222	
25	"Method for Mapping Environmental Resources to Memory for Program Access"	08/942,214	MNFRAME.005A4
	"Hot Add of Devices Software Architecture"	08/942,309	MNFRAME.006A1
	"Method for The Hot Add of Devices"	08/942,306	MNFRAME.006A2
30	"Hot Swap of Devices Software Architecture"	6,192,434	MNFRAME.006A3
	08/942,311	
	"Method for The Hot Swap of Devices"	08/942,457	MNFRAME.006A4

Substitute page of specification pursuant to 37 C.F.R. §1.125(b)(2)

	Title	Patent No./ Application No.	Attorney Docket No.
	"Method for the Hot Add of a Network Adapter on a System Including a Dynamically Loaded Adapter Driver"	5,892,928	MNFRAME.006A5
	08/943,072	
5	"Method for the Hot Add of a Mass Storage Adapter on a System Including a Statically Loaded Adapter Driver"	08/942,069	MNFRAME.006A6
	"Method for the Hot Add of a Network Adapter on a System Including a Statically Loaded Adapter Driver"	08/942,465	MNFRAME.006A7
10	"Method for the Hot Add of a Mass Storage Adapter on a System Including a Dynamically Loaded Adapter Driver"	08/962,963	MNFRAME.006A8
	"Method for the Hot Swap of a Network Adapter on a System Including a Dynamically Loaded Adapter Driver"	5,889,965	MNFRAME.006A9
15	08/943,078	
	"Method for the Hot Swap of a Mass Storage Adapter on a System Including a Statically Loaded Adapter Driver"	08/942,336	MNFRAME.006A10
20	"Method for the Hot Swap of a Network Adapter on a System Including a Statically Loaded Adapter Driver"	6,170,028	MNFRAME.006A11
	08/942,459	
25	"Method for the Hot Swap of a Mass Storage Adapter on a System Including a Dynamically Loaded Adapter Driver"	6,173,346	MNFRAME.006A12
	08/942,458	
	"Method of Performing an Extensive Diagnostic Test in Conjunction with a BIOS Test Routine"	6,035,420	MNFRAME.008A
30	08/942,463	
	"Apparatus for Performing an Extensive Diagnostic Test in Conjunction with a BIOS Test Routine"	6,009,541	MNFRAME.009A
35	08/942,163	

Substitute page of specification pursuant to 37 C.F.R. §1.125(b)(2)

	Title	Patent No./ Application No.	Attorney Docket No.
	"Configuration Management Method for Hot Adding and Hot Replacing Devices"	6,148,355	MNFRAME.010A
	08/941,268	
5	"Configuration Management System for Hot Adding and Hot Replacing Devices"	08/942,408	MNFRAME.011A
	"Apparatus for Interfacing Buses"	6,182,180	MNFRAME.012A
	08/942,382	
	"Method for Interfacing Buses"	5,987,554	MNFRAME.013A
	08/942,413	
10	"Computer Fan Speed Control Device"	5,990,582	MNFRAME.016A
	08/942,447	
	"Computer Fan Speed Control Method"	5,962,933	MNFRAME.017A
	08/942,216	
15	"System for Powering Up and Powering Down a Server"	6,122,746	MNFRAME.018A
	08/943,076	
	"Method of Powering Up and Powering Down a Server"	6,163,849	MNFRAME.019A
	08/943,077	
20	"System for Resetting a Server"	6,065,053	MNFRAME.020A
	08/942,333	
	"Method of Resetting a Server"	08/942,405	MNFRAME.021A
	"System for Displaying Flight Recorder"	6,138,250	MNFRAME.022A
	08/942,070	
25	"Method of Displaying Flight Recorder"	6,073,255	MNFRAME.023A
	08/942,068	
	"Synchronous Communication Interface"	08/943,355	MNFRAME.024A
	"Synchronous Communication Emulation"	6,068,661	MNFRAME.025A
	08/942,004	

Substitute page of specification pursuant to 37 C.F.R. §1.125(b)(2)

	Title	Patent No./ Application No.	Attorney Docket No.
	"Software System Facilitating the Replacement or Insertion of Devices in a Computer System"	6,134,615	MNFRAME.026A
	08/942,317	
5	"Method for Facilitating the Replacement or Insertion of Devices in a Computer System"	6,134,614	MNFRAME.027A
	08/942,316	
10	"System Management Graphical User Interface"	08/943,357	MNFRAME.028A
	"Display of System Information"	6,046,742	MNFRAME.029A
	08/942,195	
	"Data Management System Supporting Hot Plug Operations on a Computer"	6,105,089	MNFRAME.030A
15	08/942,129	
	"Data Management Method Supporting Hot Plug Operations on a Computer"	6,058,445	MNFRAME.031A
	08/942,124	
	"Alert Configurator and Manager"	08/942,005	MNFRAME.032A
20	"Managing Computer System Alerts"	08/943,356	MNFRAME.033A
	"Computer Fan Speed Control System"	08/940,301	MNFRAME.034A
	"Computer Fan Speed Control System Method"	08/941,267	MNFRAME.035A
25	"Black Box Recorder for Information System Events"	08/942,381	MNFRAME.036A
	"Method of Recording Information System Events"	08/942,164	MNFRAME.037A
	"Method for Automatically Reporting a System Failure in a Server"	08/942,168	MNFRAME.040A
30	"System for Automatically Reporting a System Failure in a Server"	6,170,067	MNFRAME.041A
	08/942,384	
	"Expansion of PCI Bus Loading Capacity"	08/942,404	MNFRAME.042A

Substitute page of specification pursuant to 37 C.F.R. §1.125(b)(2)

	Title	Patent No./ Application No.	Attorney Docket No.
	"Method for Expanding PCI Bus Loading Capacity"	08/942,223	MNFRAME.043A
	"System for Displaying System Status"	6,145,098	MNFRAME.044A
	08/942,347	
5	"Method of Displaying System Status"	6,088,816	MNFRAME.045A
	08/942,071	
	"Fault Tolerant Computer System"	6,175,490	MNFRAME.046A
	08/942,194	
10	"Method for Hot Swapping of Network Components"	08/943,044	MNFRAME.047A
	"A Method for Communicating a Software Generated Pulse Waveform Between Two Servers in a Network"	6,163,853	MNFRAME.048A
	08/942,221	
15	"A System for Communicating a Software Generated Pulse Waveform Between Two Servers in a Network"	08/942,409	MNFRAME.049A
	"Method for Clustering Software Applications"	6,134,673	MNFRAME.050A
20	08/942,318	
	"System for Clustering Software Applications"	08/942,411	MNFRAME.051A
	"Method for Automatically Configuring a Server after Hot Add of a Device"	08/942,319	MNFRAME.052A
25	"System for Automatically Configuring a Server after Hot Add of a Device"	08/942,331	MNFRAME.053A
	"Method of Automatically Configuring and Formatting a Computer System and Installing Software"	6,154,835	MNFRAME.054A
30	08/942,412	
	"System for Automatically Configuring and Formatting a Computer System and Installing Software"	6,138,179	MNFRAME.055A
	08/941,955	

Substitute page of specification pursuant to 37 C.F.R. §1.125(b)(2)

Title	Patent No./ Application No.	Attorney Docket No.
"Determining Slot Numbers in a Computer"	08/942,462	MNFRAME.056A
"System for Detecting Errors in a Network"	08/942,169	MNFRAME.058A
"Method of Detecting Errors in a Network"	08/940,302	MNFRAME.059A
5 "System for Detecting Network Errors"	6,105,151	MNFRAME.060A
.....	08/942,407	
"Method of Detecting Network Errors"	08/942,573	MNFRAME.061A

10

DOCS_SD\FILES\DOCS\EMN\EMN-6857.DOC

022701

15

20

25

30

MNFRAME.005A1

PATENT

DIAGNOSTIC AND MANAGING DISTRIBUTED PROCESSOR SYSTEMRelated Applications

This application is related to U.S. Application Serial No.: 08/942,448, entitled,
5 "METHOD FOR MANAGING A DISTRIBUTED PROCESSOR SYSTEM", Attorney
Docket No. MNFRAME.005A2; U.S. Application No. 08/942,222, U.S. Patent No.
6,122,758, entitled "SYSTEM FOR MAPPING ENVIRONMENTAL RESOURCES TO
MEMORY FOR PROGRAM ACCESS", Attorney Docket No. MNFRAME.005A3; and
10 U.S. Application No. 08/942,214, entitled "METHOD FOR MAPPING
ENVIRONMENTAL RESOURCES TO MEMORY FOR PROGRAM ACCESS",
Attorney Docket No. MNFRAME.005A4, which are being filed concurrently herewith on
October 1, 1997.

Priority Claim

The benefit under 35 U.S.C. § 119(e) of the following U.S. provisional
15 application(s) is hereby claimed:

Title	Application No.	Filing Date
"Remote Access and Control of Environmental Management System"	60/046,397	May 13, 1997
"Hardware and Software Architecture for Inter-Connecting an Environmental Management System with a Remote Interface"	60/047,016	May 13, 1997
"Self Management Protocol for a Fly-By-Wire Service Processor"	60/046,416	May 13, 1997
"Computer System Hardware Infrastructure for Hot Plugging Single and Multi-Function PC Cards Without Embedded Bridges"	60/046,398	May 13, 1997
"Computer System Hardware Infrastructure for Hot Plugging Multi-Function PCI Cards With Embedded Bridges"	60/046,312	May 13, 1997

Appendices

Appendix A, which forms a part of this disclosure, is a list of commonly owned
copending U.S. patent applications. Each one of the applications listed in Appendix A is
hereby incorporated herein in its entirety by reference thereto.

MNFRAME.005A1

PATENT

DIAGNOSTIC AND MANAGING DISTRIBUTED PROCESSOR SYSTEMRelated Applications

This application is related to U.S. Application Serial No.:
 5 08/942,448, entitled, "METHOD FOR MANAGING A DISTRIBUTED
 PROCESSOR SYSTEM", Attorney Docket No. MNFRAME.005A2; U.S. Application
 No. 08/942,222, U.S. Patent No. 6,122,758, entitled "SYSTEM FOR
 MAPPING ENVIRONMENTAL RESOURCES TO MEMORY FOR PROGRAM
 ACCESS", Attorney Docket No. MNFRAME.005A3; and U.S. Application No.
 10 08/942,214, entitled "METHOD FOR MAPPING ENVIRONMENTAL
 RESOURCES TO MEMORY FOR PROGRAM ACCESS", Attorney Docket No.
 MNFRAME.005A4, which are being filed concurrently herewith on October 1, 1997.

Priority Claim

The benefit under 35 U.S.C. § 119(e) of the following U.S. provisional
 15 application(s) is hereby claimed:

Title	Application No.	Filing Date
"Remote Access and Control of Environmental Management System"	60/046,397	May 13, 1997
"Hardware and Software Architecture for Inter-Connecting an Environmental Management System with a Remote Interface"	60/047,016	May 13, 1997
"Self Management Protocol for a Fly-By-Wire Service Processor"	60/046,416	May 13, 1997
"Computer System Hardware Infrastructure for Hot Plugging Single and Multi-Function PC Cards Without Embedded Bridges"	60/046,398	May 13, 1997
"Computer System Hardware Infrastructure for Hot Plugging Multi-Function PCI Cards With Embedded Bridges"	60/046,312	May 13, 1997

Appendices

Appendix A, which forms a part of this disclosure, is a list of commonly owned
 copending U.S. patent applications. Each one of the applications listed in Appendix A is
 hereby incorporated herein in its entirety by reference thereto.

Substitute page of specification pursuant to 37 C.F.R. §1.125(b)(2)

Appendix A**Incorporation by Reference of Commonly Owned Applications**

The following patent applications, commonly owned and filed October 1, 1997,
 5 are hereby incorporated herein in their entirety by reference thereto:

	Title	Patent No./ Application No., No. Patent No.	Attorney Docket No.
10	"System Architecture for Remote Access and Control of Environmental Management"	08/942,160	MNFRAME.002A1
	"Method of Remote Access and Control of Environmental Management"	08/942,215	MNFRAME.002A2
15	"System for Independent Powering of Diagnostic Processes on a Computer System"	08/942,410	MNFRAME.002A3
	"Method of Independent Powering of Diagnostic Processes on a Computer System"	<u>6,134,668</u> 08/942,320	MNFRAME.002A4
20	08/942,320	
	"Method for Managing a Distributed Processor System"	08/942,448	MNFRAME.005A2
25	"System for Mapping Environmental Resources to Memory for Program Access" <u>6,122,758</u> 08/942,222	08/942,222	MNFRAME.005A3
	08/942,222	
	"Method for Mapping Environmental Resources to Memory for Program Access"	08/942,214	MNFRAME.005A4
30	"Hot Add of Devices Software Architecture"	08/942,309	MNFRAME.006A1
	"Method for The Hot Add of Devices"	08/942,306	MNFRAME.006A2

Substitute page of specification pursuant to 37 C.F.R. §1.125(b)(2)

	Title	Patent No./ Application No.	Attorney Docket No.
	"Hot Swap of Devices Software Architecture"	<u>6,192,434</u> 08/942,311	MNFRAME.006A3
	<u>08/942,311</u>	
5	"Method for The Hot Swap of Devices"	08/942,457	MNFRAME.006A4
	"Method for the Hot Add of a Network Adapter on a System Including a Dynamically Loaded Adapter Driver"	<u>5,892,928</u> 08/943,072	MNFRAME.006A5
	<u>08/943,072</u>	
10			
	"Method for the Hot Add of a Mass Storage Adapter on a System Including a Statically Loaded Adapter Driver"	08/942,069	MNFRAME.006A6
15	"Method for the Hot Add of a Network Adapter on a System Including a Statically Loaded Adapter Driver"	08/942,465	MNFRAME.006A7
	"Method for the Hot Add of a Mass Storage Adapter on a System Including a Dynamically Loaded Adapter Driver"	08/962,963	MNFRAME.006A8
20	"Method for the Hot Swap of a Network Adapter on a System Including a Dynamically Loaded Adapter Driver"	<u>5,889,965</u> 08/943,078	MNFRAME.006A9
	<u>08/943,078</u>	
25	"Method for the Hot Swap of a Mass Storage Adapter on a System Including a Statically Loaded Adapter Driver"	08/942,336	MNFRAME.006A10
	"Method for the Hot Swap of a Network Adapter on a System Including a Statically Loaded Adapter Driver"	<u>6,170,028</u> 08/942,459 ...	MNFRAME.006A11
30	<u>08/942,459</u>	
	"Method for the Hot Swap of a Mass Storage Adapter on a System Including a Dynamically Loaded Adapter Driver"	<u>6,173,346</u> 08/942,458 ...	MNFRAME.006A12
35			

Substitute page of specification pursuant to 37 C.F.R. §1.125(b)(2)

	Title	Patent No./ Application No.	Attorney Docket No.
		<u>08/942,458</u>	
5	"Method of Performing an Extensive Diagnostic Test in Conjunction with a BIOS Test Routine"	<u>6,035,420</u> 08/942,463	MNFRAME.008A
		<u>08/942,463</u>	
10	"Apparatus for Performing an Extensive Diagnostic Test in Conjunction with a BIOS Test Routine"	08/942,163 <u>6,009,541</u>	MNFRAME.009A
		<u>08/942,163</u>	
15	"Configuration Management Method for Hot Adding and Hot Replacing Devices"	08/941,268 <u>6,148,355</u>	MNFRAME.010A
		<u>08/941,268</u>	
	"Configuration Management System for Hot Adding and Hot Replacing Devices"	<u>08/942,408</u>	MNFRAME.011A
20	"Apparatus for Interfacing Buses"	08/942,382 <u>6,182,180</u>	MNFRAME.012A
		<u>08/942,382</u>	
	"Method for Interfacing Buses"	08/942,413 <u>5,987,554</u>	MNFRAME.013A
		<u>08/942,413</u>	
25	"Computer Fan Speed Control Device"	08/942,447 <u>5,990,582</u>	MNFRAME.016A
		<u>08/942,447</u>	
	"Computer Fan Speed Control Method"	08/942,216 <u>5,962,933</u>	MNFRAME.017A
30		<u>08/942,216</u>	

Substitute page of specification pursuant to 37 C.F.R. §1.125(b)(2)

	Title	Patent No./ Application No.	Attorney Docket No.
	"System for Powering Up and Powering Down a Server"	08/943,076 6,122,746	MNFRAME.018A
	<u>08/943,076</u>	
5	"Method of Powering Up and Powering Down a Server"	08/943,077 6,163,849	MNFRAME.019A
	<u>08/943,077</u>	
10	"System for Resetting a Server"	08/942,333 6,065,053	MNFRAME.020A
	<u>08/942,333</u>	
	"Method of Resetting a Server"	08/942,405	MNFRAME.021A
	"System for Displaying Flight Recorder"	08/942,070 6,138,250	MNFRAME.022A
	<u>08/942,070</u>	
15	"Method of Displaying Flight Recorder"	08/942,068 6,073,255	MNFRAME.023A
	<u>08/942,068</u>	
	"Synchronous Communication Interface"	08/943,355	MNFRAME.024A
20	"Synchronous Communication Emulation"	08/942,004 6,068,661	MNFRAME.025A
	<u>08/942,004</u>	
25	"Software System Facilitating the Replacement or Insertion of Devices in a Computer System"	08/942,317 6,134,615	MNFRAME.026A
	<u>08/942,317</u>	
30	"Method for Facilitating the Replacement or Insertion of Devices in a Computer System"	08/942,316 6,134,614	MNFRAME.027A
	<u>08/942,316</u>	

Substitute page of specification pursuant to 37 C.F.R. §1.125(b)(2)

	Title	Patent No./ Application No.	Attorney Docket No.
	"System Management Graphical User Interface"	08/943,357	MNFRAME.028A
	"Display of System Information"	08/942,195 046,742	MNFRAME.029A
5	08/942,195	
	"Data Management System Supporting Hot Plug Operations on a Computer"	08/942,129 6,105,089	MNFRAME.030A
	08/942,129	
10			
	"Data Management Method Supporting Hot Plug Operations on a Computer"	08/942,124 6,058,445	MNFRAME.031A
	08/942,124	
15	"Alert Configurator and Manager"	08/942,005	MNFRAME.032A
	"Managing Computer System Alerts"	08/943,356	MNFRAME.033A
	"Computer Fan Speed Control System"	08/940,301	MNFRAME.034A
	"Computer Fan Speed Control System Method"	08/941,267	MNFRAME.035A
20	"Black Box Recorder for Information System Events"	08/942,381	MNFRAME.036A
	"Method of Recording Information System Events"	08/942,164	MNFRAME.037A
25	"Method for Automatically Reporting a System Failure in a Server"	08/942,168	MNFRAME.040A
	"System for Automatically Reporting a System Failure in a Server"	08/942,384 6,170,067	MNFRAME.041A
	08/942,384	
30	"Expansion of PCI Bus Loading Capacity"	08/942,404	MNFRAME.042A
	"Method for Expanding PCI Bus Loading Capacity"	08/942,223	MNFRAME.043A

Substitute page of specification pursuant to 37 C.F.R. §1.125(b)(2)

	Title	Patent No./ Application No.	Attorney Docket No.
	"System for Displaying System Status"	08/942,347; 6,145,098	MNFRAME.044A
	08/942,347	
5	"Method of Displaying System Status"	08/942,071; 6,088,816	MNFRAME.045A
	08/942,071	
	"Fault Tolerant Computer System"	08/942,194; 6,175,490	MNFRAME.046A
	08/942,194	
10	"Method for Hot Swapping of Network Components"	08/943,044	MNFRAME.047A
	"A Method for Communicating a Software Generated Pulse Waveform Between Two Servers in a Network"	08/942,221; 6,163,853	MNFRAME.048A
15	08/942,221	
	"A System for Communicating a Software Generated Pulse Waveform Between Two Servers in a Network"	08/942,409	MNFRAME.049A
20	"Method for Clustering Software Applications"	08/942,318; 6,134,673	MNFRAME.050A
	08/942,318	
25	"System for Clustering Software Applications"	08/942,411	MNFRAME.051A
	"Method for Automatically Configuring a Server after Hot Add of a Device"	08/942,319	MNFRAME.052A
	"System for Automatically Configuring a Server after Hot Add of a Device"	08/942,331	MNFRAME.053A
30	"Method of Automatically Configuring and Formatting a Computer System and Installing Software"	08/942,412; 6,154,835	MNFRAME.054A
	08/942,412	

Substitute page of specification pursuant to 37 C.F.R. §1.125(b)(2)

	Title	Patent No./ Application No.	Attorney Docket No.
5	"System for Automatically Configuring and Formatting a Computer System and Installing Software"	08/941,955 08/941,955 138,179	MNFRAME.055A
	08/941,955	
	"Determining Slot Numbers in a Computer"	08/942,462	MNFRAME.056A
	"System for Detecting Errors in a Network"	08/942,169	MNFRAME.058A
10	"Method of Detecting Errors in a Network"	08/940,302	MNFRAME.059A
	"System for Detecting Network Errors"	08/942,407 08/942,407 105,151	MNFRAME.060A
	08/942,407	
15	"Method of Detecting Network Errors"	08/942,573	MNFRAME.061A
20	DOCS_SD\FILES\DOCS\EMNEMN-6857.DOC 022701		
25			
30			